

move	SUPPORT POLE DATA	POLE BASE CONNECTION DATA (in)								DECO BASE NUMBER
	TUBE SIZE	B.C.	S	∅CB	F	P	T	ANCHOR BOLT SIZE	WELD TYPE	
50603-B448-Y1	3F-14.00x10.36x26'-0"	19	21	-	9 1/2	9	2	1 1/2 x 70	SOCKET	337
50603-B448-Y2	0F-14.00x10.36x26'-0"	19	21	-	9 1/2	9	2	1 1/2 x 70	SOCKET	337
50603-B448-Y3	3F-16.00x12.36x26'-0"	21	23	-	10 1/2	9	2	1 1/2 x 70	SOCKET	758/767
50603-B448-Y4	0F-17.00x13.36x26'-0"	23	26	-	11 1/2	10	2	1 3/4 x 70	SOCKET	758 / 767-36
50603-B448-Y5	0F-18.00x14.36x26'-0"	24	27	12 1/2	12	10	2	1 3/4 x 70	FULL PEN	758 / 767-36
50603-B448-Y6	3+3F-17.00x13.36x26'-0"	23	26	10 1/2	11 1/2	11	2	2 x 70	FULL PEN	758 / 767-36
									FULL PEN	
50603-B448-Y7	3+7F-18.00x14.36x26'-0"	24	27	11 3/4	12	11	2	2 x 70	FULL PEN	758 / 767-36
50603-B448-Y8	3+3F-18.71x15.07x26'-0"	25	28 1/2	12 1/2	12 1/2	12 1/4	2 1/4	2 1/4 x 70	FULL PEN	758 / 767-36
									FULL PEN	

7 GA = 0.179" WALL THICKNESS  
 3 GA = 0.250" WALL THICKNESS  
 0 GA = 0.313" WALL THICKNESS  
 3+7 GA = 0.429" WALL THICKNESS  
 3+3 GA = 0.500" WALL THICKNESS  
 E = ROUND TAPERED STEEL TUBE @ 0.14 in/ft TAPER  
 F = 16-FLUTE TAPERED STEEL TUBE @ 0.14 in/ft TAPER

**ORNAMENTAL POLE DATA**  
**(3 OF 3)**

1      01/31/2019

REVISION & DATE



ARLINGTON COUNTY, VIRGINIA  
 DEPARTMENT OF ENVIRONMENTAL SERVICES

**DRAWING NO.**  
**63-04**