

## Appendix J - INDEX

### Index

#### A

Air Handler	
Preferred Manufacturer(s)	
Air Handler .....	15-67
Attic stock	
Space Requirements .....	1-6
Sprinkler heads and spare sprinkler head wrenches	
wall covering, floor covering, carpets and ceiling tiles .....	9-35
Automatic Transfer Switch	
Asco, Caterpillar, Cutler HammerOnan/Cummins & Russell Electric	
No Substitutions.....	16-79, G-125

#### B

Baseboard Heaters	
Trane without Dampers	
Or Equal.....	15-67
Boilier	
Owner's Project Requirements.....	15-62
Building Automations (BAS)	
Siemens	
No Substitutions.....	15-67, H-130
butterfly valves for equipment or piping isolation	
Not Acceptable	

#### C

Calcium chloride in concrete used for reinforced concrete pipe or drainage structures	
Not Acceptable.....	3-18
Chillers	
Carrier, Climacool, McQuay, MultiStack, Trane and York	
No Substitutions.....	15-67, G-125
Condensate Piping	
Owner's Project Requirements.....	15-58
Condensate pumps	
Not Acceptable.....	15-58

Condensing Boilers (Hydronic Heating Water)  
 Aerco, Triangle Tube Viessmann and Weil-McLain  
 No Substitutions..... 15-67, G-126

Conductor  
 Use of aluminum cable/wire as a conductor  
 Not Acceptable ..... 16-70

Constant volume systems  
 used for variable occupancy spaces such as meeting and conference rooms - Not Acceptable ..... 15-60

Cooling Towers  
 Owner’s Project Requirements..... 15-57

Cooling Towers  
 Baltimore Aircoil, Evapco and Marley  
 No Substitutions..... 15-67

Cooling Towers  
 Baltimore Aircoil, Evapco and Marley  
 No Substitutions..... G-126

Corrugated Metal Pipe  
 shall not be used in storm pipes associated with sidewalks and trails  
 Not Acceptable ..... 2-15  
 shall not be used in storm water drainage systems on County facilities  
 Not Acceptable ..... 2-12

Countertops  
 Corian®, Formica® and LG Hausys, Ltd.  
 Preferred Manufacturer(s)..... 6-24  
 Owner’s Project Requirements..... 6-24

**D**

Decorative, accent and neon lighting  
 Not Acceptable ..... 16-77

Definitions (Defined Terms)..... E-118

Dimming systems  
 Not Acceptable ..... 16-77

Domestic WTR Booster  
 Bell & Gossett or Bronze Construction  
 Or Equal..... 15-67

Door Closers - Floor type  
 Rixson  
 Or Equal..... 8-31

Door Closers - Surface Mounted  
 LCN  
 Or Equal..... 8-31  
 LCN  
 Or Equal..... 8-31  
 Rixson  
 Or Equal..... 8-31

Drinking Fountains  
 Owner’s Project Requirements..... 15-57

Dry Sprinkler Valves  
 Victaulic  
 Or Equal..... 15-68

**E**

Electric strikes or electric latch retraction  
 Preferred Manufacturer(s)  
 Von Duprin ..... 13-49

Electrical Distribution  
 Owner’s Project Requirements..... 16-70

Electronic Access Control  
 The Andover Continuum  
 No Substitutions..... G-126  
 The Andover Continuum  
 No Substitutions..... 13-49

Elevator Batteries  
 Added Section on Elevator Batteries..... 14-52

EMCS  
 Siemens or Trane or  
 No Substitutions..... 15-67

Emergency Eyewashes ..... 11-43

Emergency Showers  
 Preferred Manufacturer(s)  
 Haws, Speakman, Bradley, Encon,Guardian Watersaver ..... 11-44

Emergency Standby Generator  
 Caterpillar, Kohler, MTU & Onan/Cummins  
 No Substitutions..... 16-79, H-131

Energy Management Control System  
 Siemens or Trane  
 No Substitutions..... 15-63

Engine - Detroit  
 Not Acceptable  
 Detroit..... 16-79

Exterior Insulation and Finish Systems (EIFS)  
 Not Acceptable..... 7-25

**F**

Faucet handles/knobs made of plastic  
 Not Acceptable..... 15-57

Faucets	
American Standard, Kohler and Moen	
No Substitutions.....	G-126
American Standard, Kohler and Moen	
No Substitutions.....	15-68
Fiberglass as a means of filtration - Not Acceptable .....	15-61
Finished Hardware-01	
Schlage	
Model - 'D' Series 'C' Keyway .....	8-31
Finished Hardware-02	
Corbin	
Model - CL3300 Series Keyway 4L	
No Substitutions .....	8-31
Fire Alarm Annunciator Panel	
Location of .....	17-83
Fire Alarm Systems	
Edwards, Firelite, Notifier and Silent Knight	
No Substitutions.....	17-86, G-127
Fire Houses, access doors for apparatus bays	
Owner's Project Requirements.....	8-29
Fire System Diesel Exhaust	
Plymovent	
No Substitutions.....	15-67, G-127
Fixed Dome Cameras	
Preferred Manufacturer(s)	
Panasonic, Pelco and Bosch.....	13-49
Flush Valves	
Sloan and Zurn	
No Substitutions.....	15-68, G-127
Flush Valves – Automatic	
Sloan	
No Substitutions.....	15-68
Frost Free Hydrants	
Josam, or Woodford	
Or Equal.....	15-68
<b>G</b>	
Garbage Disposals	
Insinkerator (I.S.E.)	
Or Equal.....	15-68
Glass Block on exterior walls	
Not Acceptable .....	4-20

**H**

Heat Trace  
 Owner’s Project Requirements..... 15-57

Hose Bibbs  
 Owner’s Project Requirements..... 15-57

**I**

Incandescent fixtures  
 Not Acceptable..... 16-77

Infrared Sensors  
 Owner’s Project Requirements..... 15-58

Intrusion Detection (ID) system  
 Bosch Radionics  
 Model is Bosch Radionics Radionics 9000 series with compatible accessories  
 No Substitutions ..... 13-50, G-127

Isolation Valves  
 Owner’s Project Requirements..... 15-58

**K**

Key Box  
 KNOX-BOX®  
 No Substitutions..... 17-86, I-133  
 Owner’s Project Requirements..... 17-86

Keying System  
 Schlage  
 'D' Series 'C' Keyway  
 No Substitutions ..... 8-30

**L**

Light fixtures used as HVAC diffusers  
 Not Acceptable..... 16-77

Lockset - ADA Compliant  
 Schlage D Series, ADA Compliant Rose Design levers  
 No Substitutions..... 8-31

**M**

Main Distribution Panels  
 Cutler Hammer, Siemens, and Square D  
 No Substitutions..... 16-79, G-128  
 Cutler Hammer, Square D or Siemens

No Substitutions.....	16-80
FPE and Challenger are Not Acceptable .....	16-79
FPE and Challenger are Not Acceptable .....	16-80
Motor Control Centers	
General Electric, Siemens and Square D	
No Substitutions.....	16-80, G-128
<b>N</b>	
Network/Digital Video Recorders	
Pelco	
Model - DX series with DS control point Client software	
No Substitutions. ....	13-50, G-128
No Substitutions	
- Waterless Co. Inc.....	15-68
Automatic Transfer Switch - Asco, Caterpillar, Cutler HammerOnan/Cummins & Russell Electric .....	16-79
Building Automation Systems - Siemens.....	15-67
Chillers - Carrier. MultiStack, McQuay, Trane & York.....	15-67
Condensing Boilers - Aerco, Triangle TubeViessmann and Weil-McLain, based on technical specs including turndown ratio.....	15-67
Cooling Towers - Baltimore Aircoil, Evapco and Marley .....	15-67
Emergency Standby Generator - Caterpillar, Kohler, MTU & Onan/Cummins .....	16-79
energy management control system - Siemens.....	15-63
Faucets - American Standard, Kohler and Moen .....	15-68
Fire Alarm Devices, control panels, and annunciator - Edwards, Firelite, Notifier and Silent Knight .....	17-86
Fire Station Diesel Exhaust Extraction - Plymovent .....	15-67
Flush Valves - Sloan and Zurn .....	15-68
Intrusion Detection (ID) System - Pelco - Model is Radionics Radionics 9000 series with compatible accessories .....	13-50
Key Box - KNOX-BOX®.....	17-86
Main Distribution Panels - Cutler Hammer, Siemens, and Square D.....	16-79
Motor Control Centers - General Electric, Siemens and Square D .....	16-80
Network/Digital Video Recorders - Pelco – Model - DX series with DS control point Client software.....	13-50
Rooftop Units - AAON, Carrier, McQuay and Trane .....	15-67
Security Access - Andover Controls .....	13-49
Systems Furniture Knoll - Model Horison Dividend .....	12-47
temperature control system - Siemens.....	15-63
Variable Refrigerant Volume (VRV)/Variable Refrigerant Flow (VRF) Systems - Daikin. LG, and Mitsubishi.. G- 129	
Water Closets - American Standard, Kohler, Moen & Toto .....	15-68
Water Coolers - Elkay, Halsey & Taylor® .....	15-68
No Substitutions	
Finished Hardware-01 - Schlage – Model - 'D' Series 'C' Keyway .....	8-31
Finished Hardware-02 - Corbin – Model - CL3300 Series Keyway 4L.....	8-31
Lockset - ADA Compliant - Schlage – Model - D Series, Rose Design levers.....	8-31
Lockset - ADA Compliant - Schlage – Model - D Series, Rose Design levers -1 .....	8-31
Not Acceptable	
Boiler controls that do not allow water temperature resetting from the BAS.....	15-63
Calcium chloride in concrete used for reinforced concrete pipe or drainage structures .....	3-18
Condensate pumps.....	15-58
Constant volume systems used for variable occupancy spaces such as meeting and conference rooms.....	15-60

Corrugated Metal Pipe in storm pipes associated with sidewalks and trails ..... 2-15

Corrugated Metal Pipe shall not be used in storm water drainage systems on County facilities..... 2-12

Decorative, accent and neon lighting ..... 16-77

Dimming systems ..... 16-77

Exterior Insulation and Finish Systems ..... 7-25

Faucet handles/knobs made of plastic ..... 15-57

Fiberglass as a means of filtration ..... 15-61

Glass block on exterior walls ..... 4-20

Gypsum board for exterior soffits ..... 7-25

Incandescent fixtures ..... 16-77

Light fixtures used as HVAC diffusers ..... 16-77

Main Distribution Panels - FPE and Challenger ..... 16-80

Pavers used in an ADA required access route ..... 2-14

Rake joints..... 4-20

Spline ceilings ..... 9-35

Steel sash windows..... 8-29

Transformers or electrical distribution panels located in Communication Rooms ..... 16-78

Trapeze mounted transformers ..... 16-70

Triple duty valves ..... 15-64

Use of butterfly valves for equipment or piping isolation ..... 15-63

**O**

Or Equal

    Pumps - Bell & Gossett ..... 15-67

Or Equal

    Baseboard Heaters - Trane ..... 15-67

    Door Closers - Floor type - ADA Compliant - Rixson..... 8-31

    Door Closers - Floor type - Rixson ..... 8-31

    Door Closers - Surface Mounted - LCN..... 8-31

    Door Closers - Surface Mounted - ADA Compliant - LCN ..... 8-31

Or Equal

    VAV Boxes - Titus & Trane

Owner’s Project Requirements

    Attic stock

        Space Requirements..... 1-6

        Sprinkler heads and spare sprinkler head wrenches..... 17-82

        wall covering, floor covering, carpets and ceiling tiles ..... 9-35

    Boilier..... 15-62

    Electrical Distribution ..... 16-70

    Fire Houses, access doors for apparatus bays..... 8-29

    Roof Equipment Access ..... 15-62

**P**

Paints, glues and adhesives

    Preferred Manufacturer(s)

        Benjamin Moore, Duron or Sherwin-Williams..... 9-36

Panic Hardware	
No Substitutions	
Schlage D Series, ADA Compliant Rose Design levers.....	8-31
Pavers used in an ADA required access route	
Not Acceptable.....	2-14
Piping	
Owner’s Project Requirements.....	15-58
Piping - Condensate	
Owner’s Project Requirements.....	15-58
Preferred Manufacturer(s)	
Emergency Eyewashes - Bradley, Encon, Guardian, Haws, Lab Safety Supply, Speakman & Watersaver .....	11-43
Emergency Showers - Bradley, Encon, Guardian, Haws, Lab Safety Supply, Speakman & Watersaver .....	11-44
<i>Thermostatic Mixing Valves - Bradley, Encon Lab Safety Supply or Lawler.....</i>	<i>11-44</i>
Preferred Manufacturer(s)	
Countertops - Corian®, Formica® and HI-MACS® .....	6-24
Paints, Glues and adhesives - Benjamin Moore, Duron or Sherwin-Williams.....	9-36
Roof Hatch Railing - Bilco®.....	7-27
Preferred Manufacturer(s)	
Roof Hatch Railing - Bilco®.....	15-67
Pumps	
Bell & Gossett	
Or Equal.....	15-67
<b>R</b>	
Rake Joints	
Not Acceptable.....	4-20
Roof Equipment Access	
Owner’s Project Requirements.....	15-62
Roof Hatch Railing System	
Preferred Manufacturer(s)	
Bilco® .....	7-27
Rooftop Units	
AAON, Carrier, McQuay and Trane	
No Substitutions.....	15-67, G-128
<b>S</b>	
Sanitary Sewer Clean Outs	
Owner’s Project Requirements.....	15-57
Security Access System	
Andover Controls, to be completely compatible with Andover Continuum	
No Substitutions.....	13-49
Software Requirements	
CADD Tool	
AutoCAD, Release 2015.....	1-8



Energy Simulation Tool  
 EnergyPlus Version 8.3.0 ..... 15-56

Specifications Requirements  
 Added text The Registered Design Professional shall identify, in the Specification that..... 12-45

Steel sash windows  
 Not Acceptable ..... 8-29

Systems Furniture  
 Knoll  
 Model Horison Dividend  
 No Substitutions ..... 12-47

**T**

Temperature Control System  
 Siemens or Trane  
 No Substitutions..... 15-63

Temperature-actuated mixing valves  
 Owner’s Project Requirements..... 15-58

Thermostatic Mixing Valves  
 Preferred Manufacturer(s)  
 Bradley, Encon, Lab Safety Supply and Lawler ..... 11-44

Toilet areas  
 Owner’s Project Requirements..... 15-58

Transformers or electrical distribution panels located in Communication Rooms  
 Not Acceptable ..... 16-78

Trapeze mounted transformers  
 Not Acceptable ..... 16-70

Triple duty valves  
 Not Acceptable ..... 15-64

**U**

Underground Storage Tanks  
 Highland Tank & Manufacturing Company, Inc.  
 Or Equal..... 15-67

Urinals  
 Owner’s Project Requirements..... 15-59

**V**

Variable Refrigerant Volume (VRV)/Variable Refrigerant Flow (VRF) Systems  
 Daikin, LG, and Mitsubishi  
 No Substitutions..... G-129

Variable Speed Drives  
 ABB, Magnetek, Reliance Electric or Toshiba  
 Or Equal..... 15-68

VAV Boxes  
 Titus & Trane  
 Or Equal..... 15-68

Vitreous China Fixtures  
 American Standard, Kohler or Toto  
 Or Equal..... 15-68

**W**

Water Closets  
 American Standard, Kohler, Moen or Toto  
 No Substitutions..... 15-68, I-133

Water Coolers  
 Elkay, Halsey & Taylor®  
 No Substitutions..... 15-68, H-131

Waterless Co. Inc.  
 No Substitutions ..... 15-68

Waterless Urinals  
 Waterless Co. Inc.  
 No Substitutions..... G-129