

## Survey Overview Tables

DEMOGRAPHIC REPRESENTATION		
<b>GRADE</b>	Survey Respondents	APS Enrollment
6 <sup>TH</sup>	15%	16%
7 <sup>TH</sup>	17%	15%
8 <sup>TH</sup>	16%	14%
9 <sup>TH</sup>	14%	15%
10 <sup>TH</sup>	17%	14%
11 <sup>TH</sup>	11%	13%
12 <sup>TH</sup>	10%	13%
<b>RACE</b>	Survey Respondents	APS Enrollment
Asian	9%	8%
Black	9%	10%
White	43%	45%
Multiple	25%	6%
<b>ETHNICITY</b>	Survey Respondents	APS Enrollment
Hispanic	28%	30%

## 2019 SUMMARY OF RESULTS

<b>FAMILY, HOME, COMMUNITY, SCHOOL</b>									
<b>(VALUES ARE PERCENTAGES)</b>									
<b>QUESTION DESCRIPTIONS</b>	<b>6<sup>th</sup></b>	<b>7<sup>th</sup></b>	<b>8<sup>th</sup></b>	<b>MS</b>	<b>9<sup>th</sup></b>	<b>10<sup>th</sup></b>	<b>11<sup>th</sup></b>	<b>12<sup>th</sup></b>	<b>HS</b>
Experienced housing instability in past 30 days	1.0	0.6	1.3	0.9	1.4	3.1	3.6	3.0	3.0
Gets mostly A's and B's in school	88.5	88.6	87.4	88.2	85.3	85.2	86.1	84.1	84.8
Slept more than 8 hours on an average school night	78.2	65.1	58.4	67.6	45.7	31.0	24.1	25.3	31.9
After high school most likely to attend a 4 year college, community college or technical school					81.1	84.9	87.5	84.7	84.3
Participates in an hour or more of after school activities during an average week	73.9	72.4	73.0	73.1	69.2	70.8	79.8	76.2	73.5
Feels safe and secure at school (always or most of the time)	83.8	78.8	79.0	80.6	85.3	79.1	81.5	80.5	84.1
Feels safe and secure in neighborhood (always or most of the time)	85.7	87.0	89.0	87.1	90.3	83.9	86.5	81.2	85.3
Have at least one adult to talk to with a problem	86.0	79.0	80.3	81.8	67.2	63.6	69.1	70.9	67.4

<b>SAFETY, WEAPONS AND VIOLENCE</b>									
<b>(VALUES ARE PERCENTAGES)</b>									
<b>QUESTION DESCRIPTIONS</b>	<b>6<sup>th</sup></b>	<b>7<sup>th</sup></b>	<b>8<sup>th</sup></b>	<b>MS</b>	<b>9<sup>th</sup></b>	<b>10<sup>th</sup></b>	<b>11<sup>th</sup></b>	<b>12<sup>th</sup></b>	<b>HS</b>
Rode with a drinking driver, past 30 days	8.3	11.9	16.3	12.0	11.2	12.8	16.7	16.8	14.5
Drove after drinking alcohol, past 30 days					--	1.8	3.6	7.6	5.3
Rode with someone who texted, called, e-mailed, or used the Internet or apps on a handheld cell phone	53.2	64.1	60.5	59.2	43.9	47.2	56.3	56.8	50.9
Texted, called, e-mailed, or used the Internet or apps on a handheld cell phone while driving					--	22.1	37.9	45.4	36.6
Carried a weapon	18.6	21.1	24.0	21.2					
Carried a weapon on school property					2.3	1.5	1.5	3.4	2.5
Did not go to school because felt unsafe					5.5	8.5	6.3	10.4	7.9
Been threatened with a weapon on school property, past 12 months					4.1	6.5	4.7	5.7	5.5
In a physical fight, past 12 months					19.0	16.0	18.1	17.8	18.0
Ever in a physical fight	36.6	33.3	29.6	33.3					

RELATIONSHIP VIOLENCE									
(VALUES ARE PERCENTAGES)									
QUESTION DESCRIPTIONS	6 <sup>th</sup>	7 <sup>th</sup>	8 <sup>th</sup>	MS	9 <sup>th</sup>	10 <sup>th</sup>	11 <sup>th</sup>	12 <sup>th</sup>	HS
Ever physically forced to have sexual intercourse					2.7	3.6	6.0	6.8	5.0
Forced to do sexual things, past 12 months					7.0	9.2	12.8	14.3	11.0
Someone you dated forced you to do sexual things, past 12 months					5.3	6.5	8.6	9.8	8.3
Someone you dated physically hurt you on purpose, past 12 months					5.0	5.3	3.9	7.2	6.0

BULLYING AND HARASSMENT									
(VALUES ARE PERCENTAGES)									
QUESTION DESCRIPTIONS	6 <sup>th</sup>	7 <sup>th</sup>	8 <sup>th</sup>	MS	9 <sup>th</sup>	10 <sup>th</sup>	11 <sup>th</sup>	12 <sup>th</sup>	HS
Bullied on school property, past 12 months	34.7	34.1	31.5	33.5	16.8	15.5	11.3	11.0	14.1
Electronically bullied, past 12 months	9.2	17.9	14.3	13.8	11.5	15.0	9.8	9.9	11.8
Electronically bullied someone, past 12 months	2.4	4.7	3.3	3.5	7.7	6.9	5.3	4.2	6.4
Teased or called names because of race or ethnic background, past 12 months	10.9	16.8	18.2	15.2	20.5	21.1	20.8	19.9	20.8
Teased or called names because someone thought you were gay, lesbian, or bisexual	10.8	17.9	12.4	13.7	10.9	11.7	10.1	8.2	10.5
Another student most of the time or always made unwelcome sexual comments, jokes, or gestures that made you feel uncomfortable on school property, past 12 months	7.6	6.3	5.2	6.4	1.9	3.0	3.2	5.5	3.7

MENTAL HEALTH									
(VALUES ARE PERCENTAGES)									
QUESTION DESCRIPTIONS	6 <sup>th</sup>	7 <sup>th</sup>	8 <sup>th</sup>	MS	9 <sup>th</sup>	10 <sup>th</sup>	11 <sup>th</sup>	12 <sup>th</sup>	HS
Self harm, past 12 months					14.6	17.3	17.1	14.6	16.0
Felt sad or hopeless for two weeks in a row, past 12 months					23.8	32.7	30.1	35.3	30.4
Consider suicide, past 12 months					12.0	13.3	14.1	14.7	13.6
Ever made a plan about how they would kill themselves	6.4	11.9	12.6	10.2					
Made a plan to attempt suicide, past 12 months					7.3	10.9	8.8	10.0	9.4
Ever tried to kill themselves	3.6	4.6	7.3	5.1					
Attempted suicide, past 12 months					4.7	4.7	4.4	4.5	4.8
Suicide attempt had to be treated by a doctor or nurse, 12 months					1.4	2.1	2.2	0.6	1.8
Asked for help from someone before suicide attempt	--	--	--	16.1	--	--	--	--	15.8

Got the kind of help needed when felt sad, empty, hopeless, angry, or anxious	48.4	33.1	31.9	38.2	27.0	23.5	27.5	26.5	26.3
Feel good about themselves	74.6	69.4	68.4	70.9	62.4	62.5	61.6	59.5	61.4

TOBACCO USE (VALUES ARE PERCENTAGES)									
QUESTION DESCRIPTIONS	6 <sup>th</sup>	7 <sup>th</sup>	8 <sup>th</sup>	MS	9 <sup>th</sup>	10 <sup>th</sup>	11 <sup>th</sup>	12 <sup>th</sup>	HS
First smoked before age 13					5.4	5.7	2.3	7.0	5.5
Smoked cigarettes, past 30 days	0.6	1.6	3.2	1.8	1.9	4.7	2.1	5.6	3.9
Used electronic vapor product, past 30 days	0.0	1.4	3.2	1.5	1.5	1.4	0.7	5.1	2.5
Used electronic vapor product on school property, past 30 days					4.7	7.0	9.0	11.4	8.2
Used chewing tobacco, snuff, dip, snus, or dissolvable tobacco products, past 30 days	0.0	0.0	0.5	0.1	2.0	2.2	1.3	5.6	3.1
Smoked cigars, cigarillos, or little cigars, past 30 days	0.4	0.2	0.3	0.3	1.9	2.3	2.1	7.4	3.7

ALCOHOL USE (VALUES ARE PERCENTAGES)									
QUESTION DESCRIPTIONS	6 <sup>th</sup>	7 <sup>th</sup>	8 <sup>th</sup>	MS	9 <sup>th</sup>	10 <sup>th</sup>	11 <sup>th</sup>	12 <sup>th</sup>	HS
First drink before age 13					13.6	12.8	7.3	12.4	12.0
Ever drank alcohol	9.5	16.0	17.8	14.3					
Drank alcohol, past 30 days					11.0	20.7	25.4	40.8	24.4
Binge drank, past 30 days					4.0	9.3	13.5	25.7	13.2

DRUG USE (VALUES ARE PERCENTAGES)									
QUESTION DESCRIPTIONS	6 <sup>th</sup>	7 <sup>th</sup>	8 <sup>th</sup>	MS	9 <sup>th</sup>	10 <sup>th</sup>	11 <sup>th</sup>	12 <sup>th</sup>	HS
First tried marijuana before age 13					2.8	2.3	3.4	4.1	3.5
Ever used marijuana	0.8	1.1	5.3	2.3					
Used marijuana, past 30 days					4.8	11.6	15.9	27.5	15.0
Ever misused prescription pain medication	4.6	6.7	6.0	5.8					
Misused prescription pain medication, past 30 days					3.0	4.1	3.0	4.6	4.0
Used cocaine, past 30 days					0.4	1.7	0.7	1.7	1.5
Used heroin, past 30 days					0.2	1.3	0.4	1.4	1.0
Used methamphetamines, past 30 days					0.5	1.6	0.5	1.7	1.4
Used ecstasy, past 30 days					0.5	1.5	1.1	1.9	1.6

Offered, sold, or given an illegal drug on school property, past 12 months	2.8	4.7	6.7	4.6	11.8	18.6	17.8	18.0	16.7
----------------------------------------------------------------------------	-----	-----	-----	-----	------	------	------	------	------

PHYSICAL HEALTH (VALUES ARE PERCENTAGES)									
QUESTION DESCRIPTIONS	6 <sup>th</sup>	7 <sup>th</sup>	8 <sup>th</sup>	MS	9 <sup>th</sup>	10 <sup>th</sup>	11 <sup>th</sup>	12 <sup>th</sup>	HS
Described self as overweight	20.5	23.4	21.2	21.7	22.1	25.3	27.5	25.2	25.0
Did not drink soda, past 7 days					39.2	38.9	37.7	39.6	39.8
Did not drink other sugar-sweetened drinks, past 7 days					91.9	87.9	88.6	86.8	88.7
Did not eat at fast food restaurant, past days					36.4	34.2	27.2	30.4	32.2
Did not eat breakfast, past 7 days	6.4	5.8	8.3	6.8	8.4	15.3	13.8	15.0	13.1
Most of the time or always went hungry due to not enough food in the home, past 30 days	1.4	2.1	2.1	1.8	2.7	6.1	3.1	6.9	4.9
Physically active for 60 minutes per day 5 or more days, past 7 days	56.9	59.7	55.7	57.5	47.6	45.8	35.9	35.6	41.3
Watched 3 or more hours of TV on an average school day	13.6	18.9	16.5	16.3	12.4	11.6	12.4	18.1	13.9
Played video or computer games or use a computer for something that is not school work for 3 or more hours on an average school day	25.3	33.2	39.4	32.4	35.7	38.4	45.7	34.3	38.5
Been tested for an STD other than HIV, past 12 months					3.0	4.0	7.5	10.3	6.2
Saw a dentist during the past 12 months	74.5	77.9	86.4	79.3	80.6	82.4	80.2	73.8	79.0
Been told by a doctor or nurse that have asthma	13.2	17.6	14.5	15.1	17.8	17.0	17.7	17.3	17.6

SEXUAL HEALTH (VALUES ARE PERCENTAGES)									
QUESTION DESCRIPTIONS	6 <sup>th</sup>	7 <sup>th</sup>	8 <sup>th</sup>	MS	9 <sup>th</sup>	10 <sup>th</sup>	11 <sup>th</sup>	12 <sup>th</sup>	HS
Ever had sexual intercourse					14.0	16.4	28.3	39.0	24.4
First had sexual intercourse before the age of 13					4.0	2.4	3.8	0.3	2.8
Used drugs or drank alcohol before last time had sexual intercourse					--	--	--	--	25.1
Used a condom last time had sexual intercourse					--	--	--	--	66.4
Used birth control the last time had sexual intercourse					--	--	--	--	18.3